

SAFETY DATA SHEET

1. Identification

Product identifier BIOLGAGE HYDRASOURCE SHAMPOO

Other means of identification

SDS number 00-11-0000994

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Reproductive toxicity (the unborn child) Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Suspected of damaging the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SODIUM LAURETH SULFATE		68891-38-3	9.1
SODIUM LAURYL SULFATE		85586-07-8	3.89
COCAMIDE MIPA		68333-82-4	1.5
HEXYLENE GLYCOL		107-41-5	1
SALICYLIC ACID		69-72-7	0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions**7. Handling and storage****Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
HEXYLENE GLYCOL (CAS 107-41-5)	STEL	10 mg/m ³	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	125 mg/m ³
		25 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection**Hand protection**

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance****Physical state**

Liquid.

Form

Viscous Liquid

Color	Not available.
Odor	Characteristic.
Odor threshold	Not available.
pH	5 - 5.6
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	>= 1.02 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
BIOLGAGE HYDRASOURCE SHAMPOO		
<u>Acute</u>		
Dermal		
ATEmix		2e+007 mg/kg
Oral		
ATEmix		26090 mg/kg

Components	Species	Test Results
------------	---------	--------------

COCAMIDE MIPA (CAS 68333-82-4)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg OECD 402

Oral

LD50 Rat > 2000 mg/kg OECD 401

HEXYLENE GLYCOL (CAS 107-41-5)

Acute

Dermal

LD50 Rat > 2000 mg/kg OECD 402

Inhalation

LC50 Rat > 60 ml/m3 air, 8 h OECD 403

Oral

LD50 Rat > 2000 mg/kg OECD 420

SALICYLIC ACID (CAS 69-72-7)

Acute

Dermal

LD50 Rat > 2000 mg/kg OECD 402

Oral

LD50 Rat 891 mg/kg OECD 401

SODIUM LAURETH SULFATE (CAS 68891-38-3)

Acute

Dermal

LD50 > 2000 mg/kg OECD 402

Oral

LD50 2870 mg/kg OECD 401

SODIUM LAURYL SULFATE (CAS 85586-07-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 1800 mg/kg

Skin corrosion/irritation Causes skin irritation. No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

SODIUM LAURETH SULFATE

OECD 404
Result: Irritating
Species: Rabbit

SODIUM LAURYL SULFATE

OECD 404
Result: Irritating
Species: Rabbit

SALICYLIC ACID

OECD 404
Result: Not Irritating
Species: Rabbit

Irritation Corrosion - Skin

COCAMIDE MIPA

OECD 404, Based on test data for structurally similar materials.

Result: Irritating

Species: Rabbit

HEXYLENE GLYCOL

OECD 405

Result: Slightly irritating

Species: Rabbit

Serious eye damage/eye irritation

Causes serious eye damage.

Irritation Corrosion - Eye

HEXYLENE GLYCOL

OECD 405

Result: Slightly irritating

Species: Rabbit

SODIUM LAURYL SULFATE

OECD 405, ($\geq 20\%$)

Result: Corrosive

Species: Rabbit

SODIUM LAURETH SULFATE

OECD 405, ($\geq 10\%$)

Result: Serious eye damage

Species: Rabbit

OECD 405, ($\geq 5\% - < 10\%$)

Result: Irritating

Species: Rabbit

COCAMIDE MIPA

OECD 405, Based on test data for structurally similar materials.

Result: Corrosive

Species: Rabbit

HEXYLENE GLYCOL

Result: Irritating

Species: Human

SALICYLIC ACID

Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization**

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Skin sensitization

COCAMIDE MIPA

OECD 406

Result: Not Sensitizing

Species: Guinea pig

HEXYLENE GLYCOL

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM LAURETH SULFATE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM LAURYL SULFATE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SALICYLIC ACID

OECD 429

Result: Not Sensitizing

Species: Mouse

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

SODIUM LAURETH SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

SODIUM LAURYL SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

COCAMIDE MIPA

Result: In vitro tests did not show mutagenic effects

HEXYLENE GLYCOL

Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Suspected of damaging the unborn child.

Developmental effects

COCAMIDE MIPA

> 1000 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

SODIUM LAURETH SULFATE

1000 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

SODIUM LAURYL SULFATE

250 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

HEXYLENE GLYCOL

300 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

SALICYLIC ACID

75 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Reproductivity

HEXYLENE GLYCOL

1000 mg/kg bw/d OECD 421

Result: NOEL

Species: Rat

SALICYLIC ACID

250 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

SODIUM LAURETH SULFATE

300 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

Not classified.

COCAMIDE MIPA

> 750 mg/kg bw/d OECD 407, Oral

Result: NOAEL

Species: Rat

Test Duration: 28 d

SODIUM LAURETH SULFATE

>= 225 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

HEXYLENE GLYCOL

450 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

SODIUM LAURYL SULFATE

488 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 13 weeks

SALICYLIC ACID

700 mg/m³ air OECD 412, Based on test data for structurally similar materials.

Result: NOEC

Species: Rat

Test Duration: 28 d

Aspiration hazard

Not an aspiration hazard.

Further information

The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
COCAMIDE MIPA (CAS 68333-82-4)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 9.4 mg/l, 72 h OECD 201
Crustacea	LC50	Daphnia magna	3.7 mg/l, 48 h OECD 202
Fish	LC50	Fish	2.7 mg/l, 96 h QSAR
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	1 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	0.07 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.32 mg/l, 28 d OECD 204
HEXYLENE GLYCOL (CAS 107-41-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 429 mg/l, 72 hours OECD 201
Crustacea	EC50	Daphnia magna	5410 mg/l, 48 hours OECD 202
Fish	LC50	Pimephales promelas	10700 mg/l, 96 hours OECD 203
Other	NOEC	Pseudomonas aeruginosa	200 mg/l, 10 days
SALICYLIC ACID (CAS 69-72-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM LAURETH SULFATE (CAS 68891-38-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204
SODIUM LAURYL SULFATE (CAS 85586-07-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 20 mg/l, 72 h EU C.3
Crustacea	EC50	Daphnia magna	4.7 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	3.6 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	1083 mg/l, 16 h DIN 38412
<i>Chronic</i>			
Algae	NOEC	Desmodesmus subspicatus	0.6 mg/l, 72 h EU C.3
Crustacea	NOEC	Daphnia magna	0.508 mg/l, 21 d

Components	Species	Test Results
Fish	NOEC	Pimephales promelas
		0.11 - 0.35 mg/l, 34 d OECD 210

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCAMIDE MIPA	74 % ISO 14593 Result: Readily Biodegradable Test Duration: 28 d
HEXYLENE GLYCOL	81 % OECD 301 F Result: Readily biodegradable Test Duration: 28 d
SALICYLIC ACID	100 % OECD 301 C Result: Readily Biodegradable Test Duration: 28 d
SODIUM LAURETH SULFATE	100 % EU C.4-A Result: Readily Biodegradable Test Duration: 28 d
SODIUM LAURYL SULFATE	75.7 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

COCAMIDE MIPA	3.77
HEXYLENE GLYCOL	0.58
SALICYLIC ACID	2.26
SODIUM LAURETH SULFATE	0.3 OECD 123
SODIUM LAURYL SULFATE	-2.42 OECD 107

Bioconcentration factor (BCF)

COCAMIDE MIPA	143
---------------	-----

Bioaccumulation

COCAMIDE MIPA	Result: Bioaccumulation is unlikely.
---------------	--------------------------------------

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

16. Other information, including date of preparation or last revision

Issue date 03-02-2022

Version # 01

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.