

1. Identification

Product identifier REDKEN FOR MEN WORKING WAX MANEUVER

Other means of identification

SDS number 00-38-0000166

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PETROLATUM		8009-03-8	2.5

Chemical name	Common name and synonyms	CAS number	%
OLETH-10 PHOSPHATE		39464-69-2	1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
PETROLATUM (CAS 8009-03-8)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
PETROLATUM (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
PETROLATUM (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.		
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing.		
Respiratory protection	Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties**Appearance**

Physical state	Solid.
Form	Wax
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
pH	3.9 - 4.9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Density	0.95 - 1.05 g/cm³
Dropping point	158 - 167 °F (70 - 75 °C)
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics
None expected

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
REDKEN FOR MEN WORKING WAX MANEUVER		

Acute

Dermal

ATEmix 41650 mg/kg

Oral

ATEmix 46840 mg/kg

Components	Species	Test Results
OLETH-10 PHOSPHATE (CAS 39464-69-2)		

Acute

Oral

LD50 Rat 31000 mg/kg bw

PETROLATUM (CAS 8009-03-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg bw Based on test data for structurally similar materials.

Oral

LD50 Rat > 5000 mg/kg bw Based on test data for structurally similar materials.

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin PETROLATUM

OECD 404, Based on test data for structurally similar materials.
Result: Not Irritating
Species: Rabbit

Irritation Corrosion - Skin
OLETH-10 PHOSPHATE

Result: Irritating
Species: Rabbit
Notes: Croda SDS - RM 74002

Serious eye damage/eye irritation

No adverse effects due to eye contact are expected.

Irritation Corrosion - Eye
PETROLATUM

OLETH-10 PHOSPHATE

OECD 405, Based on test data for structurally similar materials.
Result: Not Irritating
Species: Rabbit
Result: Irritating
Species: Rabbit
Notes: Croda SDS - RM 74002

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Skin sensitization
PETROLATUM

OECD 406
Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
PETROLATUM

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

PETROLATUM (CAS 8009-03-8)

Known To Be Human Carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Developmental effects
PETROLATUM

30 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.
Result: NOAEL
Species: Rat

Reproductivity
PETROLATUM

> 1000 mg/kg bw/d OECD 421, Based on test data for structurally similar materials.
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure

PETROLATUM

Not classified.

5000 mg/kg bw/d OECD 453, Oral
Result: NOAEL
Species: Rat

Aspiration hazard

Not an aspiration hazard.

Further information

The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species		Test Results
PETROLATUM (CAS 8009-03-8)			
Aquatic			
Acute			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h Based on test data for structurally similar materials.
Crustacea	NOEL	Daphnia magna	> 10000 mg/l, 48 h Based on test data for structurally similar materials.
Fish	LL50	Pimephales promelas	> 100 mg/l, 96 h Based on test data for structurally similar materials.
Persistence and degradability			
Biodegradability			
Percent degradation (Aerobic biodegradation-inherent)			
OLETH-10 PHOSPHATE		Result: Inherently biodegradable.	
Bioaccumulative potential			
Partition coefficient n-octanol / water (log Kow)			
PETROLATUM		> 6	
Mobility in soil		No data available.	
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considerations			
Disposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site.	
Local disposal regulations		Dispose in accordance with all applicable regulations.	
Waste from residues / unused products		Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging		Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information			
DOT			
FINISHED GOODS			
Not regulated as dangerous goods.			
BULK			
Not regulated as dangerous goods.			
IATA			
FINISHED GOODS			
Not regulated as dangerous goods.			
BULK			
Not regulated as dangerous goods.			
IMDG			
FINISHED GOODS			
Not regulated as dangerous goods.			
BULK			
Not regulated as dangerous goods.			
15. Regulatory information			
US federal regulations		This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control Act (TSCA)			
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)			
Not regulated.			
CERCLA Hazardous Substance List (40 CFR 302.4)			
Not listed.			

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 02-16-2023

Version # 01

NFPA ratings Health: 0
Flammability: 2
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.