

1. Identification

Product identifier	REDKEN COLOR EXTEND ACIDIC COLOR GLOSS SHAMPOO
Other means of identification	
SDS number	00-11-0001185
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Reproductive toxicity (the unborn child)	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SODIUM C14-16 OLEFIN SULFONATE		68439-57-6	≤ 10
SODIUM LAUROYL SARCOSINATE		137-16-6	< 2
GLYCERIN		56-81-5	≤ 2
COCAMIDE MIPA		68333-82-4	≤ 1
HEXYLENE GLYCOL		107-41-5	≤ 1
SALICYLIC ACID		69-72-7	≤ 0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions**7. Handling and storage****Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
HEXYLENE GLYCOL (CAS 107-41-5)	STEL	10 mg/m ³	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	125 mg/m ³
		25 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection**Hand protection**

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Color	White.
Odor	Not available.
Odor threshold	Not available.
pH	5.1 - 5.7
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Density	>= 1.01 g/cm3
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
---------	---------	--------------

REDKEN COLOR EXTEND ACIDIC COLOR GLOSS SHAMPOO

Acute

Dermal

ATEmix		2.5e+007 mg/kg
--------	--	----------------

Oral

ATEmix		16300 mg/kg
--------	--	-------------

Components	Species	Test Results
------------	---------	--------------

COCAMIDE MIPA (CAS 68333-82-4)

Acute

Dermal

LD50	Rabbit	> 2000 mg/kg OECD 402
------	--------	-----------------------

Oral

LD50	Rat	> 2000 mg/kg OECD 401
------	-----	-----------------------

GLYCERIN (CAS 56-81-5)

Acute

Dermal

LD50	Rabbit	> 18700 mg/kg bw
------	--------	------------------

Inhalation

LC50	Rat	> 570 mg/L air, 1 h
------	-----	---------------------

Oral

LD50	Rat	27200 mg/kg bw
------	-----	----------------

HEXYLENE GLYCOL (CAS 107-41-5)

Acute

Dermal

LD50	Rat	> 2000 mg/kg OECD 402
------	-----	-----------------------

Inhalation

LC50	Rat	> 60 ml/m3 air, 8 h OECD 403
------	-----	------------------------------

Oral

LD50	Rat	> 2000 mg/kg OECD 420
------	-----	-----------------------

SALICYLIC ACID (CAS 69-72-7)

Acute

Dermal

LD50	Rat	> 2000 mg/kg OECD 402
------	-----	-----------------------

Oral

LD50	Rat	891 mg/kg OECD 401
------	-----	--------------------

Components	Species	Test Results
SODIUM C14-16 OLEFIN SULFONATE (CAS 68439-57-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	6300 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 52 mg/l, 4 h OECD 403
Oral		
LD50	Rat	2079 mg/kg OECD 401
SODIUM LAUROYL SARCOSINATE (CAS 137-16-6)		
<u>Acute</u>		
Inhalation		
<i>Aerosol</i>		
LC50	Rat	0.05 - 0.5 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
SODIUM C14-16 OLEFIN SULFONATE	OECD 404 Result: Irritating Species: Rabbit	
SALICYLIC ACID	OECD 404 Result: Not Irritating Species: Rabbit	
SODIUM LAUROYL SARCOSINATE	OECD 404, 30% Sol. Result: Slightly Irritating Species: Rabbit	
COCAMIDE MIPA	OECD 404, Based on test data for structurally similar materials. Result: Irritating Species: Rabbit	
HEXYLENE GLYCOL	OECD 405 Result: Slightly irritating Species: Rabbit	
GLYCERIN	Result: Not Irritating Species: Rabbit	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Irritation Corrosion - Eye		
HEXYLENE GLYCOL	OECD 405 Result: Slightly irritating Species: Rabbit	
SODIUM LAUROYL SARCOSINATE	OECD 405, 30% Sol. Result: Irritating Species: Rabbit	
SODIUM C14-16 OLEFIN SULFONATE	OECD 405, 5% < C ≤ 38% Result: Irritating Species: Rabbit	
COCAMIDE MIPA	OECD 405, Based on test data for structurally similar materials. Result: Corrosive Species: Rabbit	
SODIUM C14-16 OLEFIN SULFONATE	OECD 405, C >38% Result: Corrosive Species: Rabbit	
HEXYLENE GLYCOL	Result: Irritating Species: Human	
GLYCERIN	Result: Not Irritating Species: Rabbit	

Irritation Corrosion - Eye
SALICYLIC ACID

Result: Severely Irritating
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

GLYCERIN

167 mg/m³ air OECD 413, Inhalation

Result: NOAEL

Species: Rat

Test Duration: 90 d

EU B.6

Result: Not Sensitizing

Species: Guinea pig

OECD 406

Result: Not Sensitizing

Species: Guinea pig

OECD 406

Result: Not Sensitizing

Species: Guinea pig

OECD 406

Result: Not Sensitizing

Species: Guinea pig

OECD 429

Result: Not Sensitizing

Species: Mouse

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

GLYCERIN

Result: In vitro and in vivo tests did not show mutagenic effects.

COCAMIDE MIPA

Result: In vitro tests did not show mutagenic effects

HEXYLENE GLYCOL

Result: In vitro tests did not show mutagenic effects

SODIUM C14-16 OLEFIN SULFONATE

Result: In vitro tests did not show mutagenic effects

SODIUM LAUROYL SARCOSINATE

Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Suspected of damaging the unborn child.

Developmental effects

COCAMIDE MIPA

> 1000 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

SODIUM LAUROYL SARCOSINATE

>= 250 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

SODIUM C14-16 OLEFIN SULFONATE

>= 600 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

GLYCERIN

1310 mg/kg bw/d, No effects on development

Result: NOAEL

Species: Rat

HEXYLENE GLYCOL

300 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Developmental effects

SALICYLIC ACID

75 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Reproductivity

HEXYLENE GLYCOL

1000 mg/kg bw/d OECD 421

Result: NOEL

Species: Rat

GLYCERIN

2000 mg/kg bw/d, No effects on fertility

Result: NOAEL

Species: Rat

SALICYLIC ACID

250 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

Specific target organ toxicity - single exposure Not classified.**Specific target organ toxicity - repeated exposure** Not classified.

COCAMIDE MIPA

> 750 mg/kg bw/d OECD 407, Oral

Result: NOAEL

Species: Rat

Test Duration: 28 d

SODIUM C14-16 OLEFIN SULFONATE

>= 259 mg/kg bw/d

Result: NOAEL

Species: Rat

Test Duration: 104 wk

SODIUM LAUROYL SARCOSINATE

250 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

HEXYLENE GLYCOL

450 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

SALICYLIC ACID

700 mg/m³ air OECD 412, Based on test data for structurally similar materials.

Result: NOEC

Species: Rat

Test Duration: 28 d

GLYCERIN

8000 mg/kg bw/d, Oral

Result: NOAEL

Species: Rat

Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.**Further information** The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.**12. Ecological information****Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
COCAMIDE MIPA (CAS 68333-82-4)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 9.4 mg/l, 72 h OECD 201
Crustacea	LC50	Daphnia magna	3.7 mg/l, 48 h OECD 202
Fish	LC50	Fish	2.7 mg/l, 96 h QSAR
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	1 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	0.07 mg/l, 21 d OECD 211

Components		Species	Test Results
Fish	NOEC	Oncorhynchus mykiss	0.32 mg/l, 28 d OECD 204
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
HEXYLENE GLYCOL (CAS 107-41-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 429 mg/l, 72 hours OECD 201
Crustacea	EC50	Daphnia magna	5410 mg/l, 48 hours OECD 202
Fish	LC50	Pimephales promelas	10700 mg/l, 96 hours OECD 203
Other	NOEC	Pseudomonas aeruginosa	200 mg/l, 10 days
SALICYLIC ACID (CAS 69-72-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM C14-16 OLEFIN SULFONATE (CAS 68439-57-6)			
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	4.14 - 4.95 mg/l, 48 hours
<i>Acute</i>			
Algae	EC50	Skeletonema costatum	5.2 mg/l, 72 h ISO 10253
Crustacea	EC50	Acartia tonsa	230 mg/l, 3 h OECD 209
		Ceriodaphnia dubia	4.53 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	4.2 mg/l, 96 h OECD 203
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	6.3 mg/l, 21 d OECD 211
SODIUM LAUROYL SARCOSINATE (CAS 137-16-6)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	23.7 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	8.91 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	32.1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCAMIDE MIPA

74 % ISO 14593

Result: Readily Biodegradable

Test Duration: 28 d

Biodegradability**Percent degradation (Aerobic biodegradation)**

GLYCERIN

OECD 301

Result: Readily Biodegradable

HEXYLENE GLYCOL

81 % OECD 301 F

Result: Readily biodegradable

Test Duration: 28 d

SALICYLIC ACID

100 % OECD 301 C

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM C14-16 OLEFIN SULFONATE

80 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM LAUROYL SARCOSINATE

82 % ISO 14593

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential**Partition coefficient n-octanol / water (log Kow)**

COCAMIDE MIPA

3.77

GLYCERIN

-1.76

HEXYLENE GLYCOL

0.58

SALICYLIC ACID

2.26

SODIUM C14-16 OLEFIN SULFONATE

-1.3 EU A.8

Bioconcentration factor (BCF)

COCAMIDE MIPA

143

Bioaccumulation

COCAMIDE MIPA

Result: Bioaccumulation is unlikely.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations**Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT****FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 11-04-2022

Version # 01

NFPA ratings Health: 2
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.